

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"676800".ap. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:26
L2	2	"6567816".pn. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:19
L3	2	"6567816".pn. and (increment or pointer or length or location or buffer or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:45
L4	71	(location\$1 with (communication near2 buffer)) and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:46
L5	66	(location\$1 with (communication near2 buffer)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:55
L6	1	"176092".ap. and (communication or buffer or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:51
L7	0	"176092".ap. and calculat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
L8	0	"176092".ap. and calculate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52

EAST Search History

L9	0	"176092".ap. and calcul\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
L10	66	L5 and (locat\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:56
L11	66	L5 and ((locate or locating or location or locations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:59
L12	0	L5 and ((locate or locating or location or locations) with (buffer near2 communcation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00
L13	66	L5 and ((locate or locating or location or locations) with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00
L14	66	L5 and ((locate or locating or location or locations) with (communication with buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
L15	66	L5 and ((locate or locating or location or locations) with (communication near3 buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
L16	17	L5 and ((locate or locating or location or locations) with (communication adj buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:07

EAST Search History

L17	4	L16 and (calculat\$5 with location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:08
L18	3	"676800".ap. and (handle or cursor or set or stored or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:37
L19	2668	(stored adj procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:38
L20	1809	L19 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:37
L21	0	L20 and ((stored adj procedure\$1)with (handle near2 cursor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
L22	0	L20 and ((stored adj procedure\$1)with (handle near2 cursor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
L23	29	L20 and ((stored adj procedure\$1)with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
L24	0	L23 and (handle near3 cursor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39

EAST Search History

L25	4	L23 and cursor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S1	1563429	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:53
S2	3	"448110".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:55
S3	512	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:15
S4	149	S3 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:15
S5	99	S4 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:17
S6	227	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:17
S7	70	S6 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:17

EAST Search History

S39	1630751	predetermined and (result\$1 or match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:53
S40	583564	S39 and (geographic\$4 or location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S41	4921	S40 and (search adj engine\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S42	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 09:56
S43	1807	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:23
S44	1432	S43 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:24
S45	52	S44 and (parameter adj binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:45
S46	6	("0029211" "6185556" "6339772").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:18

EAST Search History

S47	1	"6745384".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S48	1	"6314562".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S49	2	"6339772".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S50	1	"6185556".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S51	2	"6185556".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:22
S52	8	"915868".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:40
S53	3	"347998".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41
S54	6	"347996".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41

EAST Search History

S55	8	"347995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:42
S56	6	"347994".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:43
S57	2	"6363371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:37
S58	5	bind?in and bind?out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:32
S59	435	host adj variable\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:32
S60	331	S59 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:32
S61	209	S60 and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33
S62	143	S61 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33

EAST Search History

S63	53	S62 and bind\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23
S64	2	"5257366".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23
S65	2	"6006220".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23
S66	4	"915868".ap. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:50
S67	2	"6339772".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:14
S68	1	"6363371".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:16
S69	2	"5875334".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:58
S70	27	"5875334".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:51

EAST Search History

S71	27	"5875334".uref. and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:52
S72	1	"6985904".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:02
S73	2	"6564354".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:04
S74	2	"6567816".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:14
S75	1	"6249783".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:16
S76	1	"6199201".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:20
S77	1	"6009271".pn. and (compil or bind or optimiz or convert or converting or convert\$5 or generat\$5 or transform\$5 or translat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:21